

 **Patons**

C 4653
16-26 in

4 PLY



featured in FAIRYTALE 4 PLY

Cardigan and Sweater

Measurements

To fit chest

41-51	56-66	cm
16-20	22-26	in

Actual size

56	71	cm
22	28	in

Finished length, excluding border, approx

24	34	cm
9 1/2	13 1/2	in

Sleeve, measured down centre

15	25	cm
6	10	in

Quantities

Patons Fairytale 4 ply (Tumble dry)

Cardigan

Main Shade (4300)

2 4 50 gram balls

1st Contrast (4337)

1 1 50 gram ball

2nd Contrast (4338)

1 1 50 gram ball

Sweater

Main Shade (4300)

2 4 50 gram balls

1st Contrast (4337)

1 1 50 gram ball

2nd Contrast (4338)

1 1 50 gram ball

Quantities of yarn are approximate as they are based on average requirements. Check actual yarn colour - as printing may not match yarn exactly.

M1=make a st by picking up horizontal loop lying before next st and working into back of it; MS=Main Shade; 1st C=1st Contrast; 2nd C=2nd Contrast.

U.S.A. Glossary

Cast off=bind off; tension=gauge; knit up=pick up and knit; stocking st=stockinette st; yarn forward, yarn over needle or yarn round needle=yarn over.

Instructions are given for the first size, with larger size(s) given in square brackets []. Where only one figure is given this applies to both (all) sizes.

Before starting to knit, read the instructions carefully and circle all figures relating to your size with a coloured pencil.

Note

When working patt from chart, strand yarn not in use loosely across wrong side of work over not more than 3 sts at a time to keep fabric elastic.

Read odd rows K from right to left and even rows P from left to right.

CARDIGAN

LEFT FRONT

With 3 1/4 mm needles and MS, cast on 43 [53] sts.

****Row 1** - (WS), K.

Row 2 - K1, *K1, yfwd, K3, sL1K, K2tog, pssso, K3, yfwd; rep from * to last 2 sts, K2.

Row 3 - K1, P to last st, K1.

Row 4 - *K3, yfwd, K2, sL1K, K2tog, pssso, K2, yfwd; rep from * to last 3 sts, K3.

Row 5 - K1, P to last st, K1.

Row 6 - *K4, yfwd, K1, sL1K, K2tog, pssso, K1, yfwd, K1; rep from * to last 3 sts, K3.

Row 7 - K1, P to last st, K1.

Row 8 - *K5, yfwd, sL1K, K2tog, pssso, yfwd, K2; rep from * to last 3 sts, K3.

Row 9 - K1, P to last st, K1.

Rows 10 and 11 - K.

Row 12 - K1, *K2tog, yfwd; rep from * to last 2 sts, K2.

Row 13 - K.**

Row 14 - K37 [47], turn and leave rem 6 sts on a safety-pin.

Row 15 - P.

These 15 rows form border patt.

Change to 3 3/4 mm needles and joining in and breaking off colours as required, patt from chart A, rep the 9 patt sts 4 [5] times across, working first 0 [1] and last 1 st on K rows and first 1 and last 0 [1] st on P rows as indicated until row 9 of chart has been worked, thus ending with WS facing for next row.

***Break contrasts and cont in MS only.

Buttons: Vogue Star

Change to 3 1/4 mm needles

Row 10 - P.

Rows 11 and 12 - K.

Row 13 - K1, *K2tog, yfwd; rep from * to last 2 sts, K2.

Rows 14 and 15 - K.

Row 16 - P.***

Row 17 - *K6, yfwd, sL1K, K1, pssso, K4 [8]; rep from * to last 13 [15] sts, K6, yfwd, sL1K, K1, pssso, K5 [7].

Row 18 and every foll alt row until row 26 - P.

Row 19 - *K4, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K3 [7]; rep from * to last 13 [15] sts, K4, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K4 [6].

Row 21 - *K3, K2tog, yfwd, K3, yfwd, sL1K, K1, pssso, K2 [6]; rep from * to last 13 [15] sts, K3, K2tog, yfwd, K3, yfwd, sL1K, K1, pssso, K3 [5].

Row 23 - *K2, K2tog, yfwd, K5, yfwd, sL1K, K1, pssso, K1 [5]; rep from * to last 13 [15] sts, K2, K2tog, yfwd, K5, yfwd, sL1K, K1, pssso, K2 [4].

Row 25 - *K2, yfwd, sL1K, K1, pssso, K2, yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, K1 [5]; rep from * to last 13 [15] sts, K2, yfwd, sL1K, K1, pssso, K2, yfwd, sL1K, K1, pssso, K1, K2tog, yfwd, K2 [4].

Row 27 - *K3, yfwd, sL1K, K2tog, pssso, yfwd, K1, yfwd, sL1K, K2tog, pssso, yfwd, K2 [6]; rep from * to last 13 [15] sts, K2, (K1, yfwd, sL1K, K2tog, pssso, yfwd) twice, K3 [5].

******Row 28** - P.

Rows 29 and 30 - K.

Row 31 - K1, *K2tog, yfwd; rep from * to last 2 sts, K2.

Rows 32 and 33 - K.

Row 34 - P.

Last 34 rows form patt.

Cont in patt until work meas approx 19 [28] cm (excluding border patt), ending with row 34 [28] of patt.***

Shape neck

Next row - Patt 30 [38], cast off rem 7 [9] sts.

Turn, rejoin yarn and dec 1 st at neck edge on next 7 [9] rows (23 [29] sts).

Work 8 [12] rows, thus ending with row 16 of patt. Cast off.

RIGHT FRONT

With 3 1/4 mm needles and MS, cast on 43 [53] sts.

Work as Left Front from ** to **. Break yarn.

Row 14 - Slip first 6 sts on a safety-pin, rejoin yarn to rem sts, K to end.

Row 15 - P.

These 15 rows form border patt.

Pair each Patons 2 3/4 mm (USA 2), 3 1/4 mm (USA 3) and 3 3/4 mm (USA 5) needles.

Cardigan - 6 buttons.

Sweater - 3 buttons.

Tension

On 3 1/4 mm needles, 28 sts and 36 rows to 10 cm (stocking st).

It is important to check your tension before starting your garment. If there are too many stitches to 10 cm, your tension is tight and you should change to a larger size needle. If there are too few, your tension is loose and you should change to a smaller size needle.

Caution



It is essential to work to the stated tension, and we cannot accept responsibility for the finished product if any yarn other than the specified yarn is used.

Abbreviations

K=knit; P=purl; st=stitch; stocking st=1 row K, 1 row P; garter st=every row K; tog=together; tbl=through back of loops; inc=increase by working into front and back of st; dec=decrease by working 2 sts together; beg=beginning; alt=alternate; rep=repeat; cont=continue; meas=measures; foll=following; rem=remain(ing); RS=right side; WS=wrong side; cm=centimetres; in=inches; mm=millimetres; sL1K=slip 1 knitways; yfwd=yarn forward; pssso=pass slip st over; patt=pattern; 0=no st, row or time to be worked in this size;

CHART A

CHART B



KEY

- = MS
 ● = 1st C
 X = 2nd C

Change to 3 3/4 mm needles and joining in and breaking off colours as required, patt from chart A, rep the 9 patt sts 4 [5] times across, working last 1 [2] sts on K rows and first 1 [2] sts on P rows as indicated until row 9 of chart has been worked, thus ending with WS facing for next row.

Work as Left Front from *** to ***.

Row 17 - K2 [4], *K4, yfwd, sL1K, K1, psso, K6 [10]; rep from * to last 11 sts, K4, yfwd, sL1K, K1, psso, K5.

Row 18 and every alt row until row 26 - P.

Row 19 - K2 [4], *K2, K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K5 [9]; rep from * to last 11 sts, K2, K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K4.

Row 21 - K2 [4], *K1, K2tog, yfwd, K3, yfwd, sL1K, K1, psso, K4 [8]; rep from * to last 11 sts, K1, K2tog, yfwd, K3, yfwd, sL1K, K1, psso, K3.

Row 23 - K2 [4], *K2tog, yfwd, K5, yfwd, sL1K, K1, psso, K3 [7]; rep from * to last 11 sts, K2tog, yfwd, K5, yfwd, sL1K, K1, psso, K2.

Row 25 - K2 [4], *yfwd, sL1K, K1, psso, K2, yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K3 [7]; rep from * to last 11 sts, yfwd, sL1K, K1, psso, K2, yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K2.

Row 27 - K2 [4], *(K1, yfwd, sL1K, K2tog, psso, yfwd) twice, K4 [8]; rep from * to last 11 sts, (K1, yfwd, sL1K, K2tog, psso, yfwd) twice, K3.

Work as Left Front from **** to ****.

Shape neck

Next row - Cast off 7 [9] sts, patt to end.

Work to match Left Front, reversing shaping,

working an extra row before shoulder cast off.

BACK

**With 3 1/4 mm needles and MS, cast on 73 [93] sts.

Work as Left Front from ** to **.

Row 14 - K.

Row 15 - P.

These 15 rows form border patt.

Change to 3 3/4 mm needles and joining in and breaking off colours as required, patt from chart A, rep the 9 patt sts 8 [10] times across, working first 0 [1] and last 1 [2] sts on K rows and first 1 [2] sts and last 0 [1] st on P rows as indicated until row 9 of chart has been worked, thus ending with WS facing for next row.

Work as Left Front from *** to ***.

Row 17 - *K6, yfwd, sL1K, K1, psso, K4 [8]; rep from * to last 13 sts, K6, yfwd, sL1K, K1, psso, K5.

Row 18 and every foll alt row until row 26 - P.

Row 19 - *K4, K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K3 [7]; rep from * to last 13 sts, K4, K2tog, yfwd, K1, yfwd, sL1K, K1, psso, K4.

Row 21 - *K3, K2tog, yfwd, K3, yfwd, sL1K, K1, psso, K2 [6]; rep from * to last 13 sts, K3, K2tog, yfwd, K3, yfwd, sL1K, K1, psso, K3.

Row 23 - *K2, K2tog, yfwd, K5, yfwd, sL1K, K1, psso, K1 [5]; rep from * to last 13 sts, K2, K2tog, yfwd, K5, yfwd, sL1K, K1, psso, K2.

Row 25 - *K2, yfwd, sL1K, K1, psso, K2, yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K1 [5]; rep from * to last 13 sts, K2, yfwd, sL1K, K1, psso,

K2, yfwd, sL1K, K1, psso, K1, K2tog, yfwd, K2.

Row 27 - *K3, yfwd, sL1K, K2tog, psso, yfwd, K1, yfwd, sL1K, K2tog, psso, yfwd, K2 [6]; rep from * to last 13 sts, K2, (K1, yfwd, sL1K, K2tog, psso, yfwd) twice, K3.

Row 28 - P.

Rows 29 and 30 - K.

Row 31 - K1, *K2tog, yfwd; rep from * to last 2 sts, K2.

Rows 32 and 33 - K.

Row 34 - P.

Last 34 rows form patt.

Cont in patt until Back matches Fronts to shoulder cast-off, ending with same patt row.

Shape shoulders

Cast off 23 [29] sts at beg of next 2 rows. Leave rem 27 [35] sts on a spare needle.

SLEEVES

With 2 3/4 mm needles and MS, cast on 49 [53] sts.

Rib row 1 - (RS), K1, *P1, K1; rep from * to end.

Rib row 2 - P1, *K1, P1; rep from * to end.

Rep these 2 rows for 3 [4] cm, ending with row 1.

Change to 3 1/4 mm needles

Next row - K.

Next row - K1, *K2tog, yfwd; rep from * to last 2 sts, K2.

Next 2 rows - K.

Next row - Inc in first st, P to last 2 sts, inc in next st, P1 (51 [55] sts).

Change to 3 3/4 mm needles and joining in and breaking off colours as required, patt from chart B, rep the 9 patt sts 4 times across, working first 7 [9] and last 8 [10] sts on K rows and first 8 [10] and last 7 [9] rows on P rows as indicated, shaping sides by inc 1 st at each end of 5th and foll 4th row, thus ending with row 9 of chart (55 [59] sts).

Break contrasts and cont in MS only.

Change to 3 1/4 mm needles

Next row - (WS), P.

Next 2 rows - K.

Next row - Inc in first st, *yfwd, K2tog; rep from * to last 2 sts, inc in next st, K1 (57 [61] sts).

Next row - K.

Starting with a K row, work in stocking st, shaping sides by inc 1 st at each end of 3rd and every foll 4th row until there are 67 [79] sts. Work straight until Sleeve meas 15 [25] cm, ending with RS facing. Cast off loosely.

MAKE UP

Do not press.

Join shoulder seams. Place centre of cast-off

edge of sleeves to shoulder seams, then sew Sleeves to Fronts and Back. Join side and sleeve seams.

Neck Border

With RS facing, 2 3/4 mm needles and MS, **knit up 7 [9] sts** from right front, 16 [22] sts up right side of neck, K27 [35] from back, **knit up 16 [22] sts** down left side of neck, then 7 [9] sts from left front (73 [97] sts).

Rib row 1 - K1, *P1, K1; rep from * to end.

Rib row 2 - K2, *P1, K1; rep from * to last st, K1.

Rep these 2 rows for 4 cm. Using a 3 1/4 mm needle cast off loosely in rib.

Fold Neck Border in half to WS and sew in place.

Button Border

With RS facing, 2 3/4 mm needles and MS, K across 6 sts from safety-pin on Left Front inc 3 sts evenly (9 sts).

Row 1 - (WS), K1, (P1, K1) 4 times.

Row 2 - K2, (P1, K1) 3 times, K1.

Rep these 2 rows until Border, when slightly stretched, fits up Left Front to top of Neck Border, sewing in place as you go along. Cast off in rib.

Mark position of 6 buttons on Button Border with pins to ensure even spacing, first to come 1 cm up from border patt, last to come in centre of Neck Border and remainder spaced evenly between.

Buttonhole Border

Work as Button Border with the addition of 6 buttonholes to correspond with pins on Button Border.

To make a buttonhole: (RS), rib 3, cast off 2, rib to end and back, casting on 2 over those cast off.

Sew on buttons.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

SWEATER

FRONT

****Work as Back of Cardigan until border patt and rows 1 to 16 of patt have been worked, thus ending with RS facing for next row.**

Next row - K, inc 2 [4] sts evenly (75 [97] sts).

Starting with a P row, work a further 9 [29] rows stocking st, thus ending with RS facing for next row. **

Patt thus:

Row 1 - (RS), K37 [48], yfwd, sL1K, K1, pssso, K36 [47].

Row 2 and every alt row - P.

Row 3 - K35 [46], K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K35 [46].

Row 5 - K34 [45], K2tog, yfwd, K1, (yfwd, sL1K, K1, pssso) twice, K34 [45].

Row 7 - K33 [44], (K2tog, yfwd) twice, K1, (yfwd, sL1K, K1, pssso) twice, K33 [44].

Row 9 - K32 [43], (K2tog, yfwd) twice, K3, (yfwd, sL1K, K1, pssso) twice, K32 [43].

Row 11 - K31 [42], (K2tog, yfwd) twice, K5, (yfwd, sL1K, K1, pssso) twice, K31 [42].

Row 13 - K30 [41], (K2tog, yfwd) twice, K7, (yfwd, sL1K, K1, pssso) twice, K30 [41].

Row 15 - K29 [40], (K2tog, yfwd) twice, K9, (yfwd, sL1K, K1, pssso) twice, K29 [40].

Row 17 - K28 [39], (K2tog, yfwd) twice, K11, (yfwd, sL1K, K1, pssso) twice, K28 [39].

Row 19 - K27 [38], (K2tog, yfwd) twice, K13, (yfwd, sL1K, K1, pssso) twice, K27 [38].

Row 21 - K26 [37], (K2tog, yfwd) twice, K7, yfwd, sL1K, K1, pssso, K6, (yfwd, sL1K, K1, pssso) twice, K26 [37].

Row 23 - K25 [36], (K2tog, yfwd) twice, K6, K2tog, yfwd, K1, yfwd, sL1K, K1, pssso, K6, (yfwd, sL1K, K1, pssso) twice, K25 [36].

Row 25 - K26 [37], (yfwd, K2tog) twice, K4, K2tog, yfwd, K1, (yfwd, sL1K, K1, pssso) twice, K4, (sL1K, K1, pssso, yfwd) twice, K26 [37].

Row 27 - K25 [36], (sL1K, K1, pssso, yfwd) twice, K4, (K2tog, yfwd) twice, K1, (yfwd, sL1K, K1, pssso) twice, K4, (yfwd, K2tog) twice, K25 [36].

Row 29 - K27 [38], (M1 by picking up horizontal loop lying before next st and working into back of it, yfwd, sL1K, K1, pssso, yfwd, sL1K, K1, pssso, K3tog, pass previous st over K3tog, yfwd, K2tog, yfwd, M1, K3) twice, K24 [35].

Row 31 - K29 [40], (M1, yfwd, sL1K, K1, pssso, K3tog, pass previous st over K3tog, yfwd, M1, K7) twice, K22 [33].

Row 32 - P.

Starting with a K row, work in stocking st for 10 [18] rows, thus ending with RS facing for next row.

Shape neck

Next row - K31 [40], turn and work this side first. Dec 1 st at neck edge on next 7 [9] rows (24 [31] sts).

Work 6 [10] rows, thus ending with RS facing. Cast off.

With RS facing, slip centre 13 [17] sts on a spare needle, rejoin yarn to rem sts, K to end.

Work to match first side, reversing shapings, **working 5 rows extra** before shoulder cast-off.

BACK

Work as Front of Sweater from ** to **.

Starting with a K row, cont in stocking st until Back matches Front to start of left shoulder cast-off, ending with WS facing for next row.

Shape shoulders

Cast off 24 [31] sts, P to end. Work 2 rows. Cast off 24 [31] sts, K to end. Work 1 row, thus ending with RS facing. Leave rem 27 [35] sts on a spare needle.

SLEEVES

Work as Sleeves of Cardigan.

MAKE UP

Do not press.

Join right shoulder seam.

Neck Border

With RS facing, 2 3/4 mm needles and MS, **knit up 14 [20] sts** down left side of neck, K13 [17] from front, **knit up 19 [25] sts** up right side of neck, then K27 [35] from back (73 [97] sts).

Starting with row 1, work in rib as on Neck Border of Cardigan for 4 cm. Using a 3 1/4 mm needle, cast off loosely in rib.

Fold Neck Border in half to WS and sew in place.

Shoulder Opening Button Border

With 2 3/4 mm needles and MS, cast on 9 sts and work in rib as on Button Border of Cardigan until border, when slightly stretched, fits along back from side edge to top of Neck Border, sewing in place on back as you go along. Cast off.

Shoulder Opening Buttonhole Border

Work as Shoulder Opening Button Border with the addition of 3 buttonholes, first to come 3 [5] cm in from side edge, last to come in centre of Neck Border and second to come in the middle. Make buttonholes as on Cardigan. Sew in place on front as you go along.

Catch down Buttonhole Border over Button Border at side edge.

Place centre of cast-off edge of sleeves to shoulder seams, then sew Sleeves to Front and Back. Join side and sleeve seams.

Sew on buttons.

Do not dry handknits in harsh sunlight as fading or yellowing may occur.

You may tumble dry your garment with confidence in any domestic tumble dryer at temperatures of up to 60°C. Recommended by Hoover.

Published by



Coats Patons
Crafts



5 014191 308420

We shall be pleased to deal with your queries if you write enc. a ball band of the yarn specified and a s.a.e. to Consumer Helpline, Coats Patons Crafts, McMullen Road, Darlington, Co. Durham DL1 1YQ or phone (0325) 381010.
WARNING COPYRIGHT All Patons patterns are protected by the law of copyright and may not be reproduced either by photocopying or any other means. They are sold on condition that they are used only for non-commercial purposes. All other rights are expressly reserved by Coats Patons Crafts.